

WEST Search History for Application 10600787

Creation Date: 2008111817:13

Query	DB	Op.	Plur.	Thes.	Date
1740.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
6721740.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
'6173327'.pn.	USPT	OR			11-18-2008
(register\$6 or subscri\$6) near notif\$6 same (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(register\$6 or subscri\$6) near notif\$6 with (cach\$3 or updat\$3) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(merg\$3 or combin\$6) near request	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
web near services and ((merg\$3 or combin\$6) near request)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
1740.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
6721740.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
'6173327'.pn.	USPT	OR			11-18-2008
(register\$6 or subscri\$6) near notif\$6 same (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(register\$6 or subscri\$6) near notif\$6 with (cach\$3 or updat\$3) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 near1 (updat\$3 or modif\$6 or alter\$3 or chang\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near1 (updat\$3 or modif\$6 or alter\$3 or chang\$3)) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008

@pd<20030619 and (cach\$3 near1 (updat\$3 or modif\$6 or alter\$3 or chang\$3) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 near (updat\$3 or modif\$6 or alter\$3 or chang\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(client or server) with (cach\$3 near (updat\$3 or modif\$6 or alter\$3 or chang\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((client or server) with (cach\$3 near (updat\$3 or modif\$6 or alter\$3 or chang\$3))) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and ((client or server) with (cach\$3 near (updat\$3 or modif\$6 or alter\$3 or chang\$3)) and (re\$1boot\$3 or off\$1line or \$3disconnect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
object near (id or identifier) with file near path	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
type with register\$6 near notif\$6	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
type near notif\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 near (data or information or object) and (type near notif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
aggregated near bond near number	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
aggregat\$3 near (bond or number)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
nitification near bond and (aggregat\$3 near (bond or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notification near bond and (aggregat\$3 near (bond or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(register\$6 or notif\$6) near number		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(register\$6 or notif\$6) near (off\$1set or number)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near (data or information or object)) and ((register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
client and server and ((cach\$3 near (data or information or object)) and (register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and (client and server and (cach\$3 near (data or information or object)) and (register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
synchroniz\$5 near (data or object or information) and ((register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and (synchroniz\$5 near (data or object or information) and (register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
cach\$3 and (@pd<20030619 and synchroniz\$5 near (data or object or information) and (register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 near (data or information or object) and (cach\$3 and @pd<20030619 and synchroniz\$5 near (data or object or information) and (register\$6 or notif\$6) near (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(register\$6 near notif\$6) with (off\$1set or number)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(register\$6 or notif\$6 or interest) near (object)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
updat\$3 near client and ((register\$6 or notif\$6 or interest) near (object))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 and (updat\$3 near client and (register\$6 or notif\$6 or interest) near (object))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
		OR			11-18-2008

offset and (cach\$3 and updat\$3 near client and (register\$6 or notif\$6 or interest) near (object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(register\$6 or notif\$6) near (object) with (off\$1set or number)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(synchroniz\$5 near (data or object or information) or cach\$3) and ((register\$6 or notif\$6) near (object) with (off\$1set or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notification near log with offset	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
Offset near commit\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
Offset with commit\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(synchroniz\$5 near (data or object or information)) and (Offset with commit\$4)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
missing near notification	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(synchroniz\$5 near (data or object or information)) and (missing near notification)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
off\$1set with notif\$7 near commit	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
off\$1set with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
each\$3 with notif\$6 and (off\$1set with notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notification near log\$4 with offset	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
log\$4 with offset		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
updat\$3 near cach\$3 near (data or information) and (log\$4 with offset)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
object adj identifier and bond near numbers	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
field with (identifier near bond near numbers)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(identifier and bond near numbers)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 with client and ((identifier and bond near numbers))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 and ((identifier and bond near numbers))	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
notification near log with (object near (id or identif\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notification near log with (id or identif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notification near log with cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$7 near regist\$8 with cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(notif\$7 near regist\$8 with cach\$3) and (object near (id or identif\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
hash\$3 with file near path	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(hash\$3 with file near path) and notif\$7 near regist\$8		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
object near (id or identifier) with hash\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(object near (id or identifier) with hash\$3) and notif\$7 near regist\$8	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
register\$7 near (notif\$6 or client or application) and cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(mobile near (client or device or computer) or (dis\$1connect\$3 or off\$1line)) and (register\$7 near (notif\$6 or client or application) and cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and ((mobile near (client or device or computer) or (dis\$1connect\$3 or off\$1line)) and register\$7 near (notif\$6 or client or application) and cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(client near2 (client or browser or remote\$3)) and (@pd<20030619 and (mobile near (client or device or computer) or (dis\$1connect\$3 or off\$1line)) and register\$7 near (notif\$6 or client or application) and cach\$3)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
cach\$3 near object	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
register\$6 near notif\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near object) and (register\$6 near notif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
register\$6 near notif\$6 with (re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
register\$6 near client with (re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 near object with client	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
register\$6 near client with notif\$6		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(cach\$3 near object with client) and (register\$6 near client with notif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
synchroniz\$5 with cach\$3 near object with (re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
synchroniz\$5 with cach\$3 near object with (re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
synchroniz\$5 with cach\$3 near object with register\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((off\$1line or re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)near client) with synchroniz\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((((off\$1line or re\$1boot\$3 or dis\$1connect\$3 or re\$1start\$3 or re\$1establish\$4 near connection)near client) with synchroniz\$5) and cach\$3 near object	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
register\$6 near client	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near object with client) and (register\$6 near client)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
disconnected adj operation and cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and (disconnected adj operation and cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$6 and (@pd<20030619 and disconnected adj operation and cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$6 and (@pd<20030619 and disconnected adj operation and cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
regist\$6 near notif\$6		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(disconnect or re\$1connect\$3 or re\$1establish\$3 or re\$1boot43 or re\$1start\$3) near (client or server)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(regist\$6 near notif\$6) and ((disconnect or re\$1connect\$3 or re\$1establish\$3 or re\$1boot43 or re\$1start\$3) near (client or server))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
cach\$3 and (regist\$6 near notif\$6 and (disconnect or re\$1connect\$3 or re\$1establish\$3 or re\$1boot43 or re\$1start\$3) near (client or server))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notification near (table or list or database or schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((disconnect or re\$1connect\$3 or re\$1establish\$3 or re\$1boot43 or re\$1start\$3) near (client or server)) and (notification near (table or list or database or schema))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
updat\$3 near client	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
(regist\$6 near notif\$6) and (updat\$3 near client)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((disconnect or re\$1connect\$3 or re\$1establish\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server)) and (regist\$6 near notif\$6 and updat\$3 near client)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(re\$1establish\$3 or disconnect\$ or re\$3connect\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(client or server) near cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((re\$1establish\$3 or disconnect\$ or re\$3connect\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server)) and ((client or server) near cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
@pd<20030619 and ((re\$1establish\$3 or disconnect\$ or re\$3connect\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server) and (client or server) near cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$6 near cach\$3		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(@pd<20030619 and (re\$1establish\$3 or disconnect\$ or re\$3connect\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server) and (client or server) near cach\$3) and (notif\$6 near cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$6 same cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(@pd<20030619 and (re\$1establish\$3 or disconnect\$ or re\$3connect\$3 or re\$1boot\$3 or re\$1start\$3) near (client or server) and (client or server) near cach\$3) and (notif\$6 same cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
6578069.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
'6256740'.pn.	USPT	OR			11-18-2008
'6256740'.pn.	USPT	OR			11-18-2008
'6182117'.pn.	USPT	OR			11-18-2008
'5812793'.pn.	USPT	OR			11-18-2008
cach\$3 near (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2)	PGPB, USPT, USOC, EPAB, JPAB,	OR			11-18-2008

	DWPI, TDBD				
telephone or mobile or small adj footprint	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(cach\$3 near (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2)) and (telephone or mobile or small adj footprint)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030619 and (cach\$3 near (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and telephone or mobile or small adj footprint)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
cach\$3 near object with synchroniz\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
cach\$3 near synchroniz\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and (cach\$3 near synchroniz\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$6 near log\$4 and ((dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and cach\$3 near	PGPB, USPT,	OR			11-18-2008

synchroniz\$4)	USOC, EPAB, JPAB, DWPI, TDBD				
log\$4 and ((dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and cach\$3 near synchroniz\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030619 and (log\$4 and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and cach\$3 near synchroniz\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$5 adj log	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(cach\$3 near synchroniz\$4) and (notif\$5 adj log)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and (notif\$5 adj log)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
cach\$3 and ((dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and notif\$5 adj log)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			11-18-2008

	TDBD				
offset near commit	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) with each\$3 near synchroniz\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) with each\$3 near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$6 near (id or identifier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$6 near (id or identifier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$6 near (number or id or identifier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(each\$3 near object or each\$3 near synchroniz\$4) and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2)	PGPB, USPT, USOC,	OR			11-18-2008

	EPAB, JPAB, DWPI, TDBD				
(notif\$6 near (number or id or identifier)) and ((cach\$3 near object or cach\$3 near synchroniz\$4) and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
cach\$3 and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(notif\$6 near (number or id or identifier)) and (cach\$3 and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030619 and (notif\$6 near (number or id or identifier) and cach\$3 and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
STEERE-DAVID-CAPPERS!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
KUMAR-ROHAN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008

LIN-YUN!	TDBD, DWPL, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
LIN-YUN!	TDBD, DWPL, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
ALMEIDA-DANILO-DAMICO!	TDBD, DWPL, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
PARDIKAR-SHISHIR-PURUSHOTTAM!	TDBD, DWPL, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
cash\$3 adj object with client	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
mobile near client with (\$3connect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cash\$3 adj object with client) and (mobile near client with (\$3connect\$3))	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
client with (\$3connect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(each\$3 adj object with client) and (client with (\$3connect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
client with (re\$1connect\$3 or disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(each\$3 adj object with client) and (client with (re\$1connect\$3 or disconnect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
'6411966'.pn.	USPT	OR			11-18-2008
'6401178'.pn.	USPT	OR			11-18-2008
'6327622'.pn.	USPT	OR			11-18-2008
'6324580'.pn.	USPT	OR			11-18-2008
'6301589'.pn.	USPT	OR			11-18-2008
'6243715'.pn.	USPT	OR			11-18-2008
'6189011'.pn.	USPT	OR			11-18-2008
'6049809'.pn.	USPT	OR			11-18-2008
'6012059'.pn.	USPT	OR			11-18-2008
(each\$3 adj object and synchroniz\$4).ab.ti.		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(cach\$3 adj object and client near notif\$6).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(cach\$3 adj object and client near notif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
mobile or (re\$1connect\$3 or disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((cach\$3 adj object and client near notif\$6)) and (mobile or (re\$1connect\$3 or disconnect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(cach\$3 and client near notif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
client near (re\$1connect\$3 or disconnect\$3)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
((cach\$3 and client near notif\$6)) and (client near (re\$1connect\$3 or disconnect\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
log near offset and cach\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
'6256740'.pn.	USPT	OR			11-18-2008
'6256740'.pn.	USPT	OR			11-18-2008
'6182117'.pn.	USPT	OR			11-18-2008
'6049799'.pn.	USPT	OR			11-18-2008
'5884325'.pn.	USPT	OR			11-18-2008
'5884325'.pn.	USPT	OR			11-18-2008
'5812793'.pn.	USPT	OR			11-18-2008
'5812773'.pn.	USPT	OR			11-18-2008
'5600834'.pn.	USPT	OR			11-18-2008
'5560005'.pn.	USPT	OR			11-18-2008
(updat\$3 or modif\$6) near cach\$3 adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((updat\$3 or modif\$6) near cach\$3 adj object) and (re\$1connect\$3 or disconnect\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008

(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203 707/204).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(711/118 711/119 711/120 711/121 711/122 711/123 711/141 711/142 711/143 711/144 711/145 711/146 711/167 711/168 711/169).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(719/311).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203 707/204).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.) or ((711/118 711/119 711/120 711/121 711/122 711/123 711/141 711/142 711/143 711/144 711/145 711/146 711/167 711/168 711/169).ccls.) or ((719/311).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(each\$3 adj object with client) and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203 707/204).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (711/118 711/119 711/120 711/121 711/122 711/123 711/141 711/142 711/143 711/144 711/145 711/146 711/167 711/168 711/169).ccls. or (719/311).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(mobile or (re\$1connect\$3 or disconnect\$3)) and (each\$3 adj object with client and (707/1 707/2 707/3 707/4 707/5	PGPB, USPT,	OR			11-18-2008

1707/6 1707/7 1707/8 1707/9 1707/10 1707/200 1707/201 1707/202 1707/203 1707/204).ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls. or (711/118 1711/119 1711/120 1711/121 1711/122 1711/123 1711/141 1711/142 1711/143 1711/144 1711/145 1711/146 1711/167 1711/168 1711/169).ccls. or (719/311).ccls.)	USOC, EPAB, JPAB, DWPI, TDBD				
((notif\$6 or informing) near client) with (updat\$3 or modif\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(cach\$3 adj object with client) and (((notif\$6 or informing) near client) with (updat\$3 or modif\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
notif\$7 near log\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(((notif\$6 or informing) near client) with (updat\$3 or modif\$6)) and (notif\$7 near log\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
synchroniz\$5 with cach\$3 adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
US-6792436-B1.did.	USPT	OR			11-18-2008
US-6792436-B1.did.	USPT	OR			11-18-2008
cach\$3 adj object and hash\$3 near path		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD				
(cach\$3).ab.ti. and hash\$3 near path	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near (updat\$3 or modif\$6)) and hash\$3 near path	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
hash\$3 near file near path	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
hash\$3 near file	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(cach\$3 near (updat\$3 or modif\$6)) and (hash\$3 near file)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
timestamp near cach\$3	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPL, TDBD				
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and (timestamp near cach\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
(id or identifier) near cached adj object and (dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			11-18-2008
notif\$7 with client same updat\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		11-18-2008
cach\$3 and (notif\$7 with client same updat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	NO		11-18-2008
cach\$3 and (notif\$7 with client same updat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	NO		11-18-2008
(dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and (cach\$3 and notif\$7 with client same updat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	NO		11-18-2008
		OR	NO		11-18-2008

@pd<20030619 and ((dis\$1connect\$3 or re\$1connect\$3 or off\$1line or intermittent\$2) and cach\$3 and notif\$7 with client same updat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
---	--	--	--	--	--